Retractable, Rotating Monitor




ROTATIS



Retractable, Rotating Monitor





#### "What is ROTATIS?"

Within ROTATIS rests a retractable 21,5" monitor whose display can be either in the upright position constantly or closed over for later retraction, in a circular turntable.

This is incorporated into the furniture surface via a separate frame, allowing for the entire construction to be contained in a single piece, requiring no further adjustment externally. Allows the rotation of the rotation of the monitor to 350°.

Its ideal for use where multiple users at a time should see content on the screen or where a single user inputs data then rotates the screen for verification & authentication. A design first & fully customisable. Robust & precise

MADE IN GERMANY. More than 15 years know-how in monitor-design.

Warranty 5 years mechanics, 2 years electric and electronic, 10 years spare part availability.

Sleek, Silent, Svelte.

Handcrafted & tested to ensure the highest standards. Reliable partner with solid repeat business across diverse client fields. Global references and project experiences.

- Custom color -Anodization or Powder Coating
- Decorative trim according your demands
- Made to measure:
   Additional sockets and
   AV equipment can be integrated



Retractable, Rotating Monitor



#### **GENERAL SPECIFICATIONS**

**Functionality** Mechanical rotary plate with motorized retractable 21" monitor (notebook-like

motion - monitor faces down in closed position, stepless controll via button or remote interface); 2x integrated USB

sockets

**Motor & Mechanics** 12 V stepper motor for monitor and front

try movement, with precise & simultaneous drive for multiple monitors; up to 80 % quieter than a brush motor,

maintenance free

Material Monitor - Aluminium silver anodized &

3 mm protective antireflective glass Trim - Black Acrylic glass decorative inlay Chassis & Cartouche - Brushed high-grade

steel, Aluminum & POM Front Tray: Artifical leather, black

**Dimensions** Diameter 800 mm,

height 113 mm

Mass 35 kg

Inclination 6°

Height (lifted) 360 mm

**Monitor** Full HD 21,5" LED TFT

HDCP compliant Active Matrix Widescreen Format

**Brightness** 250 cd/m<sup>2</sup>

Contrast Ratio 1000:1

**Resolution** 1920 x 1080 – Full HD (16:9),

16,7 M color

**Pixel Size** 0.1989 x 0.1989 mm

Viewing Angle Horizontal 160° / Vertikal 140°

Viewing Area 475,20 (H) x 267,30 (V) mm

**LED Lifetime** up to 50.000 hrs

Video Interface HDMI

(VGA optional available)

Remote Control

TCP/IP on-board via RJ45 interface
9-PIN d-sub serial interface for remote

control, adjustment of motion parameter, firmware update (E1 cable and software

required)

Power Consumtion 15 W

Certificates TÜV, CE, FCC

Warranty 5 years

extendable (optional, surcharge) spare part availability 10 years

#### SCOPE OF SUPPLY

Power adapter - Input: 100-240V~, 50/60Hz. 1.5A;

Output: 12V 5.A 60W MAX

(cable length: DC ~140cm; AC ~ 1,5m)

#### **AVAILABLE OPTIONS**

Custom color - Anodization or powder coating Custom color and -material decorative trim


Print customized logo Multitouch overlay

HDMI instead of USB socket

USB / XLR / Phono / Video socket integrated in turntable

Doppel-FullHD Video Camera Conference Microphone








Retractable, Rotating Monitor





## **Applications**


Banks
Hotels
POS
Administration
Concierge
Consulting







### Table cutting

side viewing




view from above





Nothing to talk about. Cut out, put in, plug in.



Retractable, Rotating Monitor



# ROTATIS

